"It's the Film" ®

PREVENTS WEAR and CORROSION

LUBRIPLATE

SUPER-LUBRICATION

Lubriplate's 4 Step Custom Color Coding Program



LUBRICATION CHART

CUSTOMER LOGO

LUBRIPLATE PRODUCT	APPLICATIONS	DESCRIPTION
OILS / FLUIDS		
FMO-85 AW* PART NO. L0880-060 / 5 GALLON PAIL	AIR LINE OIL	ISO 22 GRADE USP WHITE MINERAL OIL *NSF H1 FOOD MACHINERY GRADE
FMO-150 AW* PART NO. L0879-060 / 5 GALLON PAIL	HYDRAULIC SYSTEMS	ISO 32 GRADE USP WHITE MINERAL OIL *NSF H1 FOOD MACHINERY GRADE
SFGO ULTRA 46* PART NO. L0916-060 / 5 GALLON PAIL	AIR COMPRESSORS	ISO 46 GRADE SYNTHETIC PAO-BASED AIR COMPRESSOR FLUID *NSF H1 FOOD MACHINERY GRADE
RCO-68FG* PART NO. L0818-060 / 5 GALLON PAIL	REFRIGERATION COMPRESSOR	ISO 68 GRADE SYNTHETIC PAO-BASED REFRIGERATION COMP FLUID *NSF H1 FOOD MACHINERY GRADE
FMO-350 AW* PART NO. L0882-060 / 5 GALLON PAIL	CHAIN OIL	ISO 68 GRADE USP WHITE MINERAL OIL *NSF H1 FOOD MACHINERY GRADE
SFGO ULTRA-100* PART NO. L0983-060 / 5 GALLON PAIL	VACUUM PUMPS	ISO 100 GRADE SYNTHETIC PAO-BASED LUBRICATING OIL *NSF H1 FOOD MACHINERY GRADE
SFGO ULTRA-220* PART NO. L0985-062 / 55 GALLON DRUM	HELICAL GEAR BOXES	ISO 220 GRADE SYNTHETIC PAO-BASED LUBRICATING OIL *NSF H1 FOOD MACHINERY GRADE
SFGO ULTRA-460* PART NO. L0985-062 / 55 GALLON DRUM	WORM GEAR BOXES	ISO 460 GRADE SYNTHETIC PAO-BASED LUBRICATING OIL *NSF H1 FOOD MACHINERY GRADE
GREASES		
SYNXTREME FG-2/220* PART NO. L0309-098 / CARTRIDGE	GENERAL GREASE BEARINGS	NLGI #2 GRADE MULTI-PURPOSE, SYNTHETIC CALCIUM SULFONATE GREASE *NSF H1 FOOD MACHINERY GRADE
CLEARPLEX 1* PART NO. L0350-035 / 35 lb PAIL	CENTRALIZED GREASE SYSTEMS	NLGI #1 GRADE USP MINERAL OIL BASED ALUMINUM COMPLEX GREASE *NSF H1 FOOD MACHINERY GRADE

*NSF H1 Registered Food Machinery Grade

Lubriplate® Lubricants Company

Corporate Headquarters: 129 Lockwood Street / Newark, NJ 07105
Tel: 800-733-4755 / Fax 973-589-4432 / Fax 800-347-5329
Midwest Office & Plant: 1500 Oakdale Ave. / Toledo, OH 43605
Tel: 419-691-2491 / Fax 419-693-3806 / Fax 800-347-5348
www.lubriplate.com / Email: LubeXpert@lubriplate.com

NSF H1 REGISTERED · Certified Kosher Pareve · HALAL · NSF ISO 21469 Certified · ISO 9001 Registered

Simplify And Improve Your Plant Lubrication Maintenance Operations With Lubriplate's Color Coding Program.

- Improves lubrication maintenance efficiency.
- Saves time identifying the correct lubricant.
- Prevents lubricant misapplications.
- QR codes provide links to important product and safety information.





Step 1

Call Lubriplate At 800-733-4755 And Schedule A Complete, Complimentary Lubrication Survey Of Your Plant.

- **Determines your exact lubricant requirements.**
- **Ensures the best possible lubricant is used for each application.**
- **Identifies opportunities for lubricant inventory consolidation through the use of multi-functional lubricants.**
- **Lubrication surveys are conducted by Lubriplate's own factory trained lubrication specialists.**

*Color Coded Charts and Tags provided at no cost for all Lubriplate® branded products.



LUBRICATION CHART

CUSTOMER LOGO

LUBRIPLATE PRODUCT	APPLICATIONS	DESCRIPTION
OILS / FLUIDS		
FMO-85 AW* PART NO. L0880-060 / 5 GALLON PAIL	AIR LINE OIL	ISO 22 GRADE USP WHITE MINERAL OIL *NSF H1 FOOD MACHINERY GRADE
FMO-150 AW* PART NO. L0879-060 / 5 GALLON PAIL	HYDRAULIC SYSTEMS	ISO 32 GRADE USP WHITE MINERAL OIL *NSF H1 FOOD MACHINERY GRADE
SFGO ULTRA 46* PART NO. L0916-060 / 5 GALLON PAIL	AIR COMPRESSORS	ISO 46 GRADE SYNTHETIC PAO-BASED AIR COMPRESSOR FLUID *NSF H1 FOOD MACHINERY GRADE
RCO-68FG* PART NO. L0818-060 / 5 GALLON PAIL	REFRIGERATION COMPRESSOR	ISO 68 GRADE SYNTHETIC PAO-BASED REFRIGERATION COMP FLUID *NSF H1 FOOD MACHINERY GRADE
FMO-350 AW* PART NO. L0882-060 / 5 GALLON PAIL	CHAIN OIL	ISO 68 GRADE USP WHITE MINERAL OIL *NSF H1 FOOD MACHINERY GRADE
SFGO ULTRA-100* PART NO. L0983-060 / 5 GALLON PAIL	VACUUM PUMPS	ISO 100 GRADE SYNTHETIC PAO-BASED LUBRICATING OIL *NSF H1 FOOD MACHINERY GRADE
SFGO ULTRA-220* PART NO. L0985-062 / 55 GALLON DRUM	HELICAL GEAR BOXES	ISO 220 GRADE SYNTHETIC PAO-BASED LUBRICATING OIL *NSF H1 FOOD MACHINERY GRADE
SFGO ULTRA-460* PART NO. L0985-062 / 55 GALLON DRUM	WORM GEAR BOXES	ISO 460 GRADE SYNTHETIC PAO-BASED LUBRICATING OIL *NSF H1 FOOD MACHINERY GRADE
GREASES		
SYNXTREME FG-2/220* PART NO. L0309-098 / CARTRIDGE	GENERAL GREASE BEARINGS	NLGI #2 GRADE MULTI-PURPOSE, SYNTHETIC CALCIUM SULFONATE GREASE *NSF H1 FOOD MACHINERY GRADE
CLEARPLEX 1* PART NO. L0350-035 / 35 lb PAIL	CENTRALIZED GREASE SYSTEMS	NLGI #1 GRADE USP MINERAL OIL BASED ALUMINUM COMPLEX GREASE *NSF H1 FOOD MACHINERY GRADE

Lubriplate® Lubricants Company
Corporate Headquarters: 129 Lockwood Street / Newark, NJ 07105
Tel: 800-733-4755 / Fax 973-589-4432 / Fax 800-347-5329
Midwest Office & Plant: 1500 Oakdale Ave. / Toledo, OH 43605
Tel: 419-691-2491 / Fax 419-693-3806 / Fax 800-347-5348
www.lubriplate.com / Email: LubeXpert@lubriplate.com

*NSF H1 Registered Food Machinery Grade

2 Lubriplate Will Then Create Customized Color Coded Lubrication Charts Specifically For Your Plant.

- Color coded charts provide quick and easy identification of the correct lubricant for each application.
- Charts are custom made. Lubricants and applications match up to specific machinery and equipment in your plant.
- Quickly identifies NSF H1 food grade lubricants which increases safety and simplifies food safety audits in food processing plants.
- Charts are available in a variety of sizes - Standard sizes are 24”x 36” (poster size), printed on PVC board, or 12” x 18” mounted on foam board or plastic laminated. or smaller 11” x 14” or 8 1/2” x 11” plastic laminated.
- QR codes provide links to important product and safety information.

3 Lubriplate Will Also Provide Color Coded Lubricant Storage Tags and Signs.

- Organizes your oil storage room.
- Allows quick identification of the correct lubricant needed, saving time and money.
- Colors and/or shapes are used to identify each lubricant.
- Lubricant storage tags can be printed on PVC plastic or magnetic material for ease of application on steel storage containers.
- QR codes provide links to important product and safety information.





Back side options

SYNXTREME FG-2/220

4 Color Coded Tags Will Be Provided For Individual Machine Components Throughout Your Plant.

- Quickly identifies the correct lubricant for each piece of equipment in your plant.
- Machinery tags match the application chart(s) and lubricant storage tags.
- Standard sizes are 3 3/8” x 2 1/8” or Small 2 1/8” x 1 1/8”
- Tags can be customized with your logo.
- QR codes provide links to important product and safety information.

Note: Oil storage and dispensing equipment shown is not part of this program and is not provided by Lubriplate.

Lubriplate® District Managers



Western Canada:

Peter Liston
Summit Agencies Ltd.
Suite 123
3428-99 Street NW
Edmonton, AB T6E 5X5
780-406-7462
peter@summitagencies.ca

Brian Weihs
Summit Agencies Ltd.
Suite441 / 1641 Lonsdale Ave.
North Vancouver, BC V7M 2J5
604-329-7848
brian@summitagencies.ca

Eastern Canada:

Mechanical Sales Co.
431 Huronia Road / Unit 4
Barrie, Ontario L4N 9B3
800-263-7226

Gord Jopling
705-734-3762
gordj@mesaco.com
Northern Ontario

Cameron Eisses
416-623-8143
camerone@mesaco.com
Southwestern Ontario

Marc Veronneau
514-225-6797
marcv@mesaco.com
Quebec and Maritimes

Hawaii Inquiries:
Jim Girard - Executive Vice President
& Chief Marketing Officer:
800-733-4755 / JimG@lubriplate.com

Western Region District Managers

Douglas J. Smith
449 S Barkvine Way
Star, ID 83669
360-488-3382
dsmith@lubriplate.com

Dan O'Brien
1359 East Skyview Drive
Salt Lake City, UT 84124
801-550-0383
dobrien@lubriplate.com

Francis Gondouin
32 San Marino Drive
San Rafael, CA 94901
415-279-0609
fgondouin@lubriplate.com

Chris Qualizza
407 Prairie Stone Drive
Lodi, WI 53555
262-339-3659
cqualizza@lubriplate.com

Brian Joens
2378 SE Preserve Ct.
West Des Moines, IA 50265
bjoens@lubriplate.com
515-320-1012

Roger Thostenson
1329 Auburn Place
Plano, TX 75093
972-998-0344
rthostenson@lubriplate.com

Mike Wrocklage
25210 Butterwick Drive
Spring, TX 77389
713-725-1294
mwrocklage@lubriplate.com

Central Region District Managers

Chris Franzoni
21653 Kendyl Court
Macomb, MI 48044
586-530-6922
cfranzoni@lubriplate.com

Scott Besedick
1219 Elliston Court
Crown Point, IN 46307
219-689-2365
sbesedick@lubriplate.com

Jeff Seymour
2602 Spyglass Drive
Valparaiso, IN 46383
219-921-6800
jseymour@lubriplate.com

Ed Blank Jr.
29008 Greystone Drive
Millbury, OH 43447
419-320-0899
ERBlank@lubriplate.com

Tom Martin
1742 Bowmansville Rd
Mohnton, PA 19540
717-844-2002
tmartin@lubriplate.com

David Roberts
939 Gallier Place.
St. John's, FL 32259
407-760-7933
droberts@lubriplate.com

Nick Guerrero
973-934-1929
nguerrero@lubriplate.com
Covered Areas: So. FL, PR,
Central & South America

Eastern Region District Managers

Chris Kniestedt
34 Franklin Street / Unit 133
Nashua, NH 03064
603-484-5262
ckniestedt@lubriplate.com

John Girard
104 5th Avenue / Apt. 2
Belmar, NJ 07719
908-675-6889
johng@lubriplate.com

Robert A. Reh Jr.
5312 Meadow Chase Rd.
Midlothian, VA 23112
864-270-8558
rrehjr@lubriplate.com

Oil Analysis & On-Site Lubrication Training Available to Lubriplate Customers at No-Cost.

Lubriplate Lubricants Company
129 LOCKWOOD STREET / NEWARK, NJ 07105 / PHONE 800-733-4755 / FAX 800-347-5329
TOLEDO, OH OFFICE / PHONE 419-691-2491 / FAX 800-347-5348
www.lubriplate.com / E-mail: LubeXpert@lubriplate.com / www.facebook.com/lubriplate

PRINTED IN U.S.A.
Color Coding Guide 10/13/20